

## CLAIMS

What is claimed is:

1. A fishing apparatus, comprising:  
a buoyant board-like support member;  
a fish container secured to the support member for holding fish; and  
a first bait container secured to the support member for storing bait.
2. The fishing apparatus of claim 1, wherein the support member has a cleat mounted thereon for tethering to a user.
3. The fishing apparatus of claim 1, wherein the support member has a securing aperture therethrough for tethering to a user.
4. The fishing apparatus of claim 1, wherein the support member is filled with an expanded polystyrene material.
5. The fishing apparatus of claim 1, wherein the support member has a fluorescent outer surface.
6. The fishing apparatus of claim 1, wherein the support member has at least one gripping indentation provided therein.
7. The fishing apparatus of claim 1, wherein the support member has four gripping indentations provided therein.
8. The fishing apparatus of claim 1, wherein the support member has at least one gripping aperture therethrough.
9. The fishing apparatus of claim 1, wherein the support member has four gripping apertures therethrough.

10. The fishing apparatus of claim 1, further comprising a tether secured at or near one of its ends to the support member, the tether being adapted for being securing at or near the other of its ends to a user.
11. The fishing apparatus of claim 1, wherein the support member is equipped for measuring the length of a fish.
12. The fishing apparatus of claim 1, further comprising a first gear container secured to the support member and having a generally tubular shape for supporting elongated fishing gear.
13. The fishing apparatus of claim 1, further comprising a plurality of gear containers secured to the support member, each of the gear containers having a generally tubular shape for supporting elongated fishing gear.
14. The fishing apparatus of claim 13, further comprising a utility bar secured to the support member, the utility bar having a plurality of storage apertures therethrough for receiving fishing gear.
15. The fishing apparatus of claim 14, wherein at least three of the gear containers extend upright from the upper surface of the support member, and the utility bar is connected across the three gear containers at an elevation above the upper surface of the support member.
16. The fishing apparatus of claim 1, wherein the support member is equipped with at least one rudder for stability while fishing.
17. The fishing apparatus of claim 1, wherein the support member has a fish-holding aperture sized and shaped to receive the fish container therethrough, whereby a portion of the fish container extends downwardly beneath the support member.

18. The fishing apparatus of claim 17, wherein the fish container is a generally tubular-shaped net that permits the submergence of fish disposed therein while fishing.
19. The fishing apparatus of claim 18, wherein the net has a mouth that is adjustable between an open configuration and a closed configuration.
20. The fishing apparatus of claim 1, wherein the support member has a bait-holding aperture sized and shaped to receive the first bait container therethrough, whereby a portion of the first bait container extends downwardly beneath the support member.
21. The fishing apparatus of claim 20, wherein the first bait container is adapted for holding live bait.
22. The fishing apparatus of claim 20, wherein the first bait container is substantially cylindrical and has an openable lid.
23. The fishing apparatus of claim 20, wherein the first bait container is made of plastic.
24. The fishing apparatus of claim 1, further comprising a second bait container secured to the support member.
25. The fishing apparatus of claim 24, wherein the second bait container is adapted for holding artificial bait.
26. The fishing apparatus of claim 25, wherein the second bait container is secured to the upper surface of the support member and includes at least one plastic box having an openable lid and a plurality of bait-holding compartments.
27. The fishing apparatus of claim 25, wherein the second bait container is secured to the upper surface of the support member and includes a plurality of stacked plastic boxes each having an openable lid and a plurality of bait-holding compartments.